

# FX4-320L



HEADLIGHTS		MAX HEIGHT
N	TYPE	MT
4	320W LED	7,5




The images are only for demonstration purposes

WEIGHT	DIMENSIONS [MM]		
kg	L	W	H MIN/MAX
645	1550 / 2400	1200	2700 / 7500

ENVIRONMENTAL CONDITIONS	
Temperature	40° C
Height	1000 mslm
Humidity	60,00%



**LIGHTING DETAILS** **FX4-320L**



<i>Light</i>	<i>Headlights</i>		4 x 320W
	<i>Headlights type</i>		LED
	<i>Lumen each</i>	lm	41550
	<i>Lightable area</i>	m <sup>2</sup>	4500 @ 5 lux

**TECHNICAL DETAILS**

<i>General</i>	<i>Max height</i>	mt	7,5
	<i>Lifting system type</i>		Manual
	<i>Rotation</i>		355°
	<i>Maximum wind resistance</i>	km/h	100
	<i>Prime power</i>	kVA (kW)	3,5 (3,5)
	<i>Voltage and frequency</i>	V – Hz	230V – 50Hz
	<i>Tank capacity</i>	Lt	105
	<i>Autonomy with working headlights</i>	hr	210
<i>Engine</i>	<i>Engine</i>		KOHLER KDW702
	<i>Engine power</i>	Hp (kW)	6,6 (4,9)
	<i>No. of cylinders</i>		in line
	<i>Displacement</i>	cc	686
	<i>Aspiration</i>		Nat. Aspirated
	<i>Cooling system</i>		Water
	<i>Rpm</i>		1500
<i>Alternator</i>	<i>Alternator</i>		LINZ ELECTRIC
	<i>Number of poles</i>		4
	<i>Type</i>		Brushless
	<i>Voltage regulation</i>		Capacitor

*All data can be found out in the original technical datasheet of the engine and the alternator. Values shown are nominal values, they can change in every moment and without warning.*

## STANDARD EQUIPMENT

### LIGHTING TOWER

*7,5mt height telescopic rod*  
*Telescopic rod with manual lifting system*  
*n.4 320W LED lights*  
*Manual headlights positioning*  
*Electric control panel*  
*Diesel engine*

### GENERAL

*Single-phase alternator*  
*12V battery*  
*First oil filling*  
*65dB(A) at 7mt soundproofed canopy*  
*Slow towing trailer*  
*Service power socket 230V (max 1,8kVA)*  
*n.4 guides for forklift forks*  
*n.4 stabilizers*

## OPTIONALS

*Fast, road-type towing trailer homologated 750kg*



*Different number, power and kind of lights (halogen, metal halide, led)*

**Greenpower AB**  
Helsingborgsvägen Varalöv,  
262 96 Ängelholm, Sweden  
Phone: +46 43122240  
Email: [info@greenpower.se](mailto:info@greenpower.se)  
Web: [www.greenpower.se](http://www.greenpower.se)